



Rigid-Lock QuickBerm® XT

Heavy-duty drive-in long-term spill containment



Rigid-Lock QuickBerm® XT

Flexible Spill Containment - QuickBerms® Flexible Spill Containment Systems

Heavy-duty drive-in long-term spill containment for vehicles, heavy equipment and tankers



- Modified PVC coated fabric is thicker and more robust for frequent vehicle traffic and heavy applications
- Highly chemical resistant and withstands long-term UV exposure – great for outdoor use
- Patented Rigid-Lock stainless-steel wall-support system is 30 cm deep and locks at 90° for secure, leakproof containment
- Quick and easy setup – simply push on locks to lay wall down flat for an unobstructed work space and drive-through capability
- Single-piece construction with reinforced CriticalCorner™ design and radio frequency (RF) welds prevent seam leaks, provide fluid-tight reliability

- Indoor/Outdoor
- For use as secondary containment for outdoor or temporary storage applications of chemicals, transformers, generators, metal/poly tanks, IBCs, oiling/refueling operations thereby safeguarding the environment, preventing costly environmental incidents and regulatory violations, and ensuring safe storage practices.
- Heavy duty

Recommended use

Flexible Spill Containment - QuickBerms® Flexible Spill Containment Systems Rigid-Lock QuickBerm® XT

General

Brand	Justrite
Category	QuickBerms® Flexible Spill Containment Systems
Product Number	2850
Product Family	Spill Control & Environmental
Product Group	Flexible Spill Containment
Industry	Laboratories, Industrial, Jan-San, Food Service, Material Handling, Military, Construction, Utilities, Manufacturing, Aviation, Automotive
Product Name	Rigid-Lock QuickBerm® XT
Recommended use	For use as secondary containment for outdoor or temporary storage applications of chemicals, transformers, generators, metal/poly tanks, IBCs, oiling/refueling operations thereby safeguarding the environment, preventing costly environmental incidents and regulatory violations, and ensuring safe storage practices.
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Sub brand	BCI
Update trigger	20260319
Usage Intensity	Heavy duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
-------	---

Technical Specifications

Application	For storage of drums, tanks or leaky equipment.
Drive In	True
Material	Modified PVC coated fabric
Material Group	PVC
Pile Weight (g)	1050

Rigid-Lock QuickBerm® XT - Black

Art. nr.	Capacity (L)	Length (cm)	Width (cm)
JEN28501BL	2745	300	300
JEN28503BL	7320	800	300
JEN28505BL	10980	1200	300
JENC2850BL	305	100	100
JEN28510BL	22200	1707	427
JEN28508BL	19349	1646	366
JEN28506BL	16990	1524	366
JEN28500BL	2265	305	244
JEN28504BL	9514	853	366
JEN28502BL	4247	457	305


Accessories




2839
REPAIR KIT,MOD PVC W/O HEATGUN
 Quick and effective berm repair kit for maintaining fluid-tight reliability



28326
REPAIR,RIGIDLOC,12" SUPPORT ASY
 Replacement support assembly for 12" Rigid-Lock QuickBerm®



2833
Track Mat
 Shields the interior floor of spill containment berms from abrasion and debris damage




2834
Track Runners
 High visibility, yellow vinyl fabric for inside berms offers moderate protection against abrasion.



2835
Ground Mat
 Smooth, protective base for spill berms; shields against rugged terrain and debris



TTEM
EuroMat®
 Medium duty 12 mm solid ground protection mat with handholds made from 100% recycled HDPE.



AM
AlturMat®
 Ground protection mat keep projects on time by providing safe access even in poor ground conditions

Cross Sell Products



TTEM

EuroMat®

Medium duty 12 mm solid ground protection mat with handholds made from 100% recycled HDPE.



AM

AlturnaMATs®

Ground protection mat keep projects on time by providing safe access even in poor ground conditions