



Rigid-Lock QuickBerm®


Durable drive-in spill containment for drums, IBC totes, and tanks



Rigid-Lock QuickBerm®

Flexible Spill Containment - QuickBerms® Flexible Spill Containment Systems

Durable drive-in spill containment for drums, IBC totes, and tanks



- Quick Setup – Ready to deploy in minutes with no assembly or loose parts, saving valuable time and effort
- Drive-Over Friendly – Sidewalls effortlessly lower for vehicle access and securely lock into place at a 90° vertical position for reliable containment
- Heavy-Duty Performance – Supports vehicle weights up to 11,000 pounds (5,000 kg) per tire when sidewalls are lowered, ensuring strength during use. Durable Construction – Crafted from modified PVC-coated fabric, resistant to UV exposure, extreme temperatures (-50°F to 160°F), and a wide range of chemicals, including oils and fuels. Wind-Resistant – Anchored sidewalls resist winds up to 40 mph, ensuring stability in harsh conditions
- Portable Design – Folds flat for compact storage, requiring minimal space, and is easy to transport, offering maximum convenience
- Reinforced Corners – Designed to prevent sagging or unwrapping, ensuring fluid-tight containment
- Fray-Resistant Walls – Equipped with a 1-inch finished hem along the top rim, strengthening wall integrity and enhancing durability

- For safe and efficient spill containment of hazardous and volatile substances in industries like military, oil and gas, and chemical.
- Medium duty

Recommended use

Flexible Spill Containment - QuickBerms® Flexible Spill Containment Systems Rigid-Lock QuickBerm®

General

Brand	Justrite
Category	QuickBerms® Flexible Spill Containment Systems
Product Number	2851
Product Family	Spill Control & Environmental
Product Group	Flexible Spill Containment
Industry	Oil & Gas, Industrial, Military, Power Generation, Construction, Utilities, Manufacturing, Aviation, Government, Automotive, Landscaping
Product Name	Rigid-Lock QuickBerm®
Recommended use	For safe and efficient spill containment of hazardous and volatile substances in industries like military, oil and gas, and chemical.
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Update trigger	20250521_0815-ecom-fp
Usage Intensity	Medium duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Warranty (years)	5

Technical Specifications

Material Group	PVC
Pile Weight (g)	900

Rigid-Lock Quickberm®

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Capacity (L)	Dimension (cm)	Weight (kg)
JENC2851BL	2851	305	per m2	0
JEN28527BL	28527	16977.57	365cm x 1525cm	0
JEN28516BL	28516	1359	183 x 244 x 30cm	13.6
JEN28514BL	28514	906	122 x 244 x 30cm	10.9
JEN28512BL	28512	679	122 x 183 x 30cm	9.1
JEN28532BL	28532	11326	610 x 610 x 30cm	63
JEN28522BL	28522	4077	366 x 366 x 30cm	29
JEN28518BL	28518	1812	244 x 244 x 30cm	16.3
JEN28530BL	28530	9061	488 x 610 x 30cm	53.1
JEN28528BL	28528	7249	488 x 488 x 30cm	44.5
JEN28519BL	28519	2831	305 x 305 x 30cm	22.2
JEN28524BL	28524	5436	366 x 488 x 30cm	35.8
JEN28526BL	28526	6796	366 x 610 x 30cm	43.1

Accessories



2833

Track Mat

Safeguards the interior floor of spill containment berms from abrasion and debris damage



2834

Track Runners

High visibility, yellow vinyl fabric for inside berms offers moderate protection against abrasion.



2835

Ground Mat

Smooth, protective base for spill berms; shields against rugged terrain and debris



28326

REPAIR, RIGIDLOC, 12" SUPPORT ASY

Replacement support assembly for 12" Rigid-Lock QuickBerm®